

Development Coordinator (801) 569-5182 Planning Division (801) 569-5060 Engineering Department (801) 569-5070 Building & Safety Division (801) 569-5050 Fire Marshal (801) 260-7300

# CONDOMINIUM SUBDIVISION INFORMATION

#### **GENERAL**

The purpose of the attached documents is to provide information necessary to plan for, apply for and submit the necessary information to obtain approval for a Condominium Subdivision in the City of West Jordan.

By providing the required information it will enable the timely completion of your project. Not providing the necessary information will require the return of the application and submitted documents to you and will unnecessarily delay progress and final approval.

This document is meant to act as a guide for individual projects and may require additional information be provided, depending upon the nature of the project.

#### **CONTENTS**

The following documents are provided to help you through the process, from application to approval.

City of West Jordan Application Property Owner Affidavit Preconstruction Meeting Form Condominium Subdivision Checklist Application Fees

#### WHAT IS A COMPLETE APPLICATION

A complete application will include all of the documents listed above, including items listed in the checklists. Partial submittals will not be accepted.

#### SUBMITTAL MEETING

A submittal meeting is *required* to allow staff to check your application for completeness. Please contact the Development Coordinator at 801 569-5182 to schedule your submittal meeting.

#### **GETTING HELP**

Once your application has been submitted, a Project Team will be assigned to the project. The Planner is your point of contact and you can contact them for project status inquires or to the Project Team for information about their various specialties.



## **Development Application**

8000 South Redwood Road, 2<sup>nd</sup> Floor, South 801-569-5182

Kristi.Peterson@westjordan.utah.gov

Property:			
Sidwell/Parcel #:	Acreage:	Lots:	Zoning:
Project Name:			
Project Location:			
Type of Application:	☐ Concept	□ Preliminary	☐ Final
☐ Agreement ☐ Conditional Use Permit ☐ Design Review Committee ☐ Development Plan ☐ General Land Use Amendmen		Amended ☐ Zor on Major ☐ Pla on Minor	mporary Use Permit ne Change inned Community
□ Other:Applicant:		Company:	
Address:			
City: Phone:		State: Cell:	
Email:			
Consultant:			
Address: City: Phone: Email:		State: Cell:	Zip:
** Property Owner(s):  (1) Name:  Address:			
City:Phone:		State:	Zip:
Email:			
(2) Name: Address:			
City:		State:	Zip:
Phone:			
Email:			

\*\* Applicant must identify as a "Property Owner", all holders of any legal title to the Property; if necessary, attach additional page(s) to this Application to identify additional Property Owners.

By signing below, the Applicant hereby represents, and affirms the following:

#### 1. Definitions.

- a. "Application": Application includes (i) this Application form, (ii) the Property Owner(s) Affidavit, and (iii) all information (whether written or verbal) provided by the Applicant, by the Consultant, by the Property Owner(s), or by any other person or entity engaged by the Applicant or the Property Owner(s) in furtherance of the Application ("Supporting Parties").
- b. "Property Owner(s)": Holders of any legal title to the Property.

Applicant Signature:

- Information is True and Correct. The information described on this Application form and contained in the Property Owner's
  Affidavit, is true and correct. The Applicant will use its best efforts to ensure all contents of the Application are accurate and
  current.
- 3. <u>Property Owner(s) Consent to this Application</u>. All Property Owner(s) (i) have reviewed and expressly approve of the contents of this Application form, and (ii) consent to the Applicant pursuing approval of the Application.
- 4. <u>City's Right to Contact Property Owner(s)</u>. The City has the right to contact the Property Owner(s) directly, in writing or through other means, to verify any information contained in the Application.
- 5. <u>Contact with Property Owner(s) is not Interference</u>. Contact by the City as outlined in "4." above is and shall not be considered interference with the Applicant's business dealings.
- 6. Incorrect or Untrue Information Voids this Application. If any information provided as part of the Application is untrue or incorrect, at the option of the City (i) this Application shall be considered void *ab initio*, (ii) the City shall have no obligation to process the Application, (iii) any commitments allegedly made by the City or flowing from the Application, including also the alleged grant of any development rights by the City, shall be considered void *ab initio* and unenforceable, and (iv) the Applicant shall indemnify and hold the City harmless for any costs or claims resulting from false or incorrect representations (A) of or from the Applicant, and/or (B) of or from the Property Owner(s), the Consultant, and/or the Supporting Parties of which the Applicant has or had knowledge.
- 7. Notice to the City of a Changed Event. The Applicant has an affirmative duty to (i) notify the City in writing of a Changed Event, (ii) fully inform the City of the nature and details of a Changed Event, and (iii) provide such notice and information within two (2) business days of a Changed Event. A Changed Event is any action or occurrence, (i) that occurs subsequent to the date the Applicant executes this Application form, and (ii) which alters the legal relationship of the Applicant and the Property Owner(s) to an extent that either (A) the Applicant no longer has authorization from the Property Owner(s) to pursue the Application, or (B) results in any representation or information in this Application or the Property Owner's Affidavit to be, in whole or in part, untrue, incorrect, or inaccurate.

(Com	pleted Notary Block for Applicant's	signature must be att	ached to this Application form)	
	<u>OFFI</u>	ICE USE ONLY		
MUNIS #:	Date Received	d:	Date of Meeting:	
ODA	Planner:	Engineer:	Fire:	

Page 2 of 3 Revised 10-2020

Date:

### Notary Block for Applicant's Signature

STATE OF UTAH	)			
	: SS.			
County of Salt Lake	)			
On this	day of	, 20	, before the undersi	gned notary public in and for
the said state, persona	lly appeared			[name of person], known
or identified to me to be	e a/the			[position of responsibility]
of			[na	ame of company or entity], and
the person who execut same.	ed the foregoing ins	trument and acknowl	edged to me that said	company or entity executed the
IN WITNESS \	WHEREOF, I have h	ereunto set my hand	and seal the day and	year first above written.
		Notar	y Public for Utah	

Page 3 of 3 Revised 10-2020



# CONDOMINIUM SUBDIVISION PROCESS

#### **GENERAL**

The purpose of the condominium subdivision process is to obtain Planning Commission approval. The subdivision, construction drawings and procedures must comply with the provisions of the City of West Jordan Municipal Code, the Design and Construction Standards and Utah Code. No regulatory permits will be issued, no clearing, grubbing, grading, drainage work, parking lot construction or other site improvement will be allowed until final approval and proper permits are obtained. Processing times will vary based upon availability of city staff time and the completeness of the applicant's submitted plans. Checklists for a condominium subdivision are attached and are located on the City's website at <a href="https://www.westjordan.utah.gov">www.westjordan.utah.gov</a>.

#### APPLICANT'S INITIAL CONTACT WITH CITY STAFF

Your initial contact with city staff will take place with the Planning Department, either by telephone or by meeting at the Community Development Department counter. If you are not familiar with city processes and requirements city staff can briefly discuss the processes and requirements with you.

#### PRE-APPLICATION MEETING

The applicant can contact the community development department staff to schedule a pre-application meeting. Pre-applications meetings are held weekly.

The purposes of the pre-application conference are:

- 1. To better facilitate the development process by establishing initial contacts between city staff and the applicant.
- 2. Provide an opportunity for the applicant to present the project to city staff and receive comments from them.
- 3. Provide an opportunity for the applicant to ask questions regarding city requirements in order to eliminate unnecessary delays to the proposed project

If the applicant is familiar with the city's processes and requirements, they may skip this step and go directly to preparation of the preliminary subdivision.

#### PRELIMINARY SUBDIVISION

#### **APPLICATION**

The preliminary condominium subdivision process can be initiated by submitting the application, along with items listed on the preliminary condominium subdivision checklist and the following. The Application will be not be accepted until a determination has been made that the application is complete.

COVENANTS, CONDITIONS, AND RESTRICTIONS HOMEOWNERS ASSOCIATION.

#### **STAFF REVIEW**

Review times are based upon the plans submitted and number of projects in for review, the first review may take approximately 4 weeks. Subsequent reviews, if needed, will be completed in approximately 2 weeks. After staff have completed their review, the applicant will be contacted to schedule a redline comment meeting.

#### PLANNING COMMISSION REVIEW AND ACTION

Once the development team has completed their review and determined it is complete, the City Planner will schedule the preliminary subdivision for a Planning Commission meeting for their review and action. The following items will be completed as part of this task:

- A. <u>Scheduling and Public Notices</u> The City Planner will schedule the condominium preliminary subdivision for review by the Planning Commission and arrange for publication of a public hearing.
- B. Review and Action —For a condominium preliminary subdivision to be considered by the Planning Commission, the applicant must attend the Planning Commission meeting to explain the proposal and answer questions. Once all questions have been answered to the satisfaction of the Planning Commission, the Planning Commission will take action in one of the following forms:
  - 1. Approval of the condominium preliminary subdivision
  - 2. Approval with modifications or conditions
  - 3. Postpone were further information or input is necessary
  - 4. Deny the condominium preliminary subdivision

Notice of the action will be sent to the applicant regarding the Planning Commission's action.

#### **EXPIRATION OF PRELIMINARY APPROVAL**

An approved condominium preliminary subdivision is valid for one year following the date of approval. The one-year period may be extended by the zoning administrator for up to an additional six (6) months period for good cause shown by the applicant as a written petition prior to expiration of the original time period. In cases where the subdivision is to be developed in phases, the approval will remain valid, provided that a final subdivision on at least one phase is approved, recorded and developed within 12 months of the date of preliminary approval and provided that each successive phase is approved, recorded and developed within 12 months of the previous phase's recording date.

#### FINAL CONDOMINIUM SUBDIVISION

#### **APPLICATION**

The condominium final subdivision process can be initiated by submitting the application along with items listed on the final condominium subdivision checklist. The Application will not be accepted until a determination has been made that the application is complete.

#### STAFF REVIEW

Review times are based upon the plans submitted and number of projects in for review, the first review may take approximately 4 weeks. Subsequent reviews, if needed, will be completed in approximately 2 weeks. After staff have completed their review, the applicant will be contacted to schedule a redline comment meeting.

#### STAFF ACTION

City staff will notify the applicant that the final condominium subdivision is approved and the final subdivision mylar can be created.

#### PREPARATION AND SUBMITTAL OF SUBDIVISION

The applicant will prepare the final condominium subdivision mylar and obtain the signatures of the following companies.

- a. Natural gas provider
- b. Salt Lake County Board of Health
- c. Cable provider
- d. Electric power provider
- e. Signatures of property owners and beneficiaries with notary acknowledgement
- f. Others as required

After obtaining the required signatures submit the original mylar, along with the following:

- a. Payment of Impact Fees.
- b. Public Improvement Construction and Assurance Agreement (Bond) or Restoration and Revegetation Bond
- c. Current title report no older than 30 days.

#### **CITY SIGNATURES**

City staff will be responsible for obtaining the required city department signatures.

- a. Planning Commission
- b. City Engineering
- c. City Attorney
- d. Mayor and City Recorder

#### SUBDIVISION RECORDATION

An appointment is made between city staff and developer to meet at the Salt Lake County Recorders Office to record the subdivision. The applicant is responsible for providing Salt Lake County Recorder's requirements for recordation, including approval to record and recording fees. The City of West Jordan is only there to provide a continuous chain of custody.

#### **EXPIRATION OF FINAL SUBDIVISION APPROVAL**

An approved, unrecorded final subdivision is valid for two (2) years. The one-year period may be extended by the zoning administrator for up to an additional six (6) months period for good cause shown by the applicant as a written petition prior to expiration of the original time period.

#### PRECONSTRUCTION MEETING

After all code requirements are met, the community development department will schedule a preconstruction meeting with the applicant, his contractor and city staff. During the meeting a set of approved construction drawings will be given to the applicant, which must be on site at all times during the construction of the project. At this time a land disturbance permit will be granted, and the Building Permit Requirements Form will be signed.

#### **BUILDING PERMIT**

A building permit may be issued after the final subdivision has been recorded, a preconstruction held, erosion control measure has been installed, inspected and approved, applicable impact fees paid, and fire department requirements has been met.

#### WARRANTY PERIOD

After final inspections of the public improvements are completed, a 12-month warranty period begins. The applicant is required to meet all requirements specified in the City of West Jordan Municipal Code.

#### FINAL INSPECTION

After the 12-month warranty period, a final inspection of the improvements will take place in accordance with the City's City of West Jordan Municipal Code.

#### **DEVELOPMENT AGREEMENT (if applicable)**

The Development Agreement is a formal written agreement between the city and the applicant, which details the responsibilities of both parties. The responsibilities detailed in the agreement for the city are those that are provided for in the Municipal Code and are reiterated in the Agreement. In addition to the standard items the city agrees to provide, any project specific items the city agrees to do are outlined in the 'Special Provisions' section of the agreement. The agreement also details items the applicant will provide along with any special requirements, which are also outlined in the 'Special Provisions' section. The Development Agreement is prepared by the city attorney's office, then

distributed and reviewed by other city departments who provide input into the Agreement. The Agreement is then reviewed as part of the project by the Planning Commission and approved, rejected, or returned for changes. A Development Agreement for a project will require City Council approval.

#### REIMBURSEMENT AGREEMENT (if applicable)

If the Applicant feels that certain facilities being constructed may be subject to reimbursement, the applicant shall prepare a letter addressed to the City Engineer prior to Final Approval of the project detailing the reasons. Facilities included in City master plans and impact fee studies may be subject to reimbursement dependent upon the findings of the City Engineer and Community Development Director who will respond in writing to the Applicant. If the City Engineer and Community Development Director agree that such facilities may be subject to reimbursement, the City Attorney will prepare an Agreement. The Reimbursement Agreement requires approval by the City Council.

\*\*\*\*\*



# CONDOMINIUM PRELIMINARY SUBDIVISION SUBMITTAL CHECKLIST

PROJEC	T	
APPLIC	ANT	DATE
GENER	AL INF	ORMATION
Your	City	Description
Check	Check	
		Application
		Owner Affidavit
		Electronic copy of all plans in PDF Format
		Fee are calculated and due after acceptance of application
		1 reduced copy on 11 x 17 paper
		Title report prepared within 60 days
		Envelopes: Stamped (not metered) letter-sized (#10) envelopes with the name of
		property owners within a 300' radius of the boundary of the subject property (obtained
	į	from Salt Lake County). Do not use envelopes with your business return address
		Property Owners List: Provide a copy of the list of property owners mentioned above
PRELIN	IINARY	Y SUBDIVISION DRAWINGS
Your	City	Description
Check	Check	
Drawin	gs must	have separate sheets for each plan and assembled in the following order
Cover S		
Subdivi	sion Pla	t Drawings
		Subdivision Name – at the top of the sheet
		Township, range and section
		North arrow, scale
		Corner section tie
		Boundary lines and dimensions
		Subdivision boundary survey information including dimensions and bearings
		Legal Description
		Dedication language
		Vicinity Map – legible with major street names and highlighted subject property
		Legend showing all symbols, line types, hashing and abbreviations
		Date of drawing
		Applicant name and address
		Developer name and address
		Design firm name and address
		West Jordan revision blocks
		Adjoining property lots and parcels showing ownership name and tax ID numbers
		Indicate ownership and maintenance responsibilities for detention and open space
<u> </u>		areas.
		Existing and proposed roads
		Existing lots and parcels showing dimensions and area



## CONDOMINIUM PRELIMINARY SUBDIVISION

		Phases – All proposed phases of development, numbered and defined, with timetable
		for development
		Existing easements showing type of easement and recording information
		Proposed easements
		Existing and proposed fences
		Proposed dedications for public use
		Provide a letter of intent or maintenance plan for open space and parks maintained by
		the project.
		Locations of all existing buildings
The foll	lowing d	imensions shall be shown on the floor plans:
		Exterior dimensions
		All perimeters dimensions of each unit
		Hallways, stairwells, escapes and shafts
		Exterior wall thickness and common well thickness
		Ownership of attic space
		Label "convertible space" for each pace
		Interior square footage of each proposed unit
Legend	showing	g:
		Private ownership – slashed lines
		Common areas – bold outline
		Limited common areas – cross-hatching
		Certificate of building specifications of existing buildings signed by a licensed
		surveyor
		Elevations of floors, ceilings and their thickness
Show th	1e follow	ing information on a separate sheet
		Description of the land included within the project
		The linear measurement and location of the exterior boundaries of the building(s)
		Diagrammatic floor plans of the building, identifying each convertible space and
		physical unit.
		A description or delineation of the boundaries of any unit or convertible space not
		i
		contained in the building.
		A distinguishing number for every unit.
		A distinguishing number for every unit. The location and dimensions of all easements
		A distinguishing number for every unit.  The location and dimensions of all easements  Label "convertible space" for each such space
		A distinguishing number for every unit. The location and dimensions of all easements Label "convertible space" for each such space The location and dimensions of convertible lands
		A distinguishing number for every unit.  The location and dimensions of all easements  Label "convertible space" for each such space  The location and dimensions of convertible lands  The location and dimensions of any withdrawable lands
		A distinguishing number for every unit.  The location and dimensions of all easements  Label "convertible space" for each such space  The location and dimensions of convertible lands  The location and dimensions of any withdrawable lands  Phases – All proposed phases of development, numbered and defined, with timetable
		A distinguishing number for every unit.  The location and dimensions of all easements  Label "convertible space" for each such space  The location and dimensions of convertible lands  The location and dimensions of any withdrawable lands  Phases – All proposed phases of development, numbered and defined, with timetable for development
		A distinguishing number for every unit.  The location and dimensions of all easements  Label "convertible space" for each such space  The location and dimensions of convertible lands  The location and dimensions of any withdrawable lands  Phases – All proposed phases of development, numbered and defined, with timetable for development  Existing and proposed lot lines, numbers, dimensions and area
		A distinguishing number for every unit.  The location and dimensions of all easements  Label "convertible space" for each such space  The location and dimensions of convertible lands  The location and dimensions of any withdrawable lands  Phases – All proposed phases of development, numbered and defined, with timetable for development  Existing and proposed lot lines, numbers, dimensions and area  Overall subdivision layout
		A distinguishing number for every unit.  The location and dimensions of all easements  Label "convertible space" for each such space  The location and dimensions of convertible lands  The location and dimensions of any withdrawable lands  Phases – All proposed phases of development, numbered and defined, with timetable for development  Existing and proposed lot lines, numbers, dimensions and area  Overall subdivision layout  Boundary lines and dimensions
		A distinguishing number for every unit.  The location and dimensions of all easements  Label "convertible space" for each such space  The location and dimensions of convertible lands  The location and dimensions of any withdrawable lands  Phases – All proposed phases of development, numbered and defined, with timetable for development  Existing and proposed lot lines, numbers, dimensions and area  Overall subdivision layout  Boundary lines and dimensions  Existing and proposed fences
		A distinguishing number for every unit.  The location and dimensions of all easements  Label "convertible space" for each such space  The location and dimensions of convertible lands  The location and dimensions of any withdrawable lands  Phases – All proposed phases of development, numbered and defined, with timetable for development  Existing and proposed lot lines, numbers, dimensions and area  Overall subdivision layout  Boundary lines and dimensions  Existing and proposed fences  Existing buildings
		A distinguishing number for every unit.  The location and dimensions of all easements  Label "convertible space" for each such space  The location and dimensions of convertible lands  The location and dimensions of any withdrawable lands  Phases – All proposed phases of development, numbered and defined, with timetable for development  Existing and proposed lot lines, numbers, dimensions and area  Overall subdivision layout  Boundary lines and dimensions  Existing and proposed fences  Existing buildings  Existing and proposed streetlights
		A distinguishing number for every unit.  The location and dimensions of all easements  Label "convertible space" for each such space  The location and dimensions of convertible lands  The location and dimensions of any withdrawable lands  Phases – All proposed phases of development, numbered and defined, with timetable for development  Existing and proposed lot lines, numbers, dimensions and area  Overall subdivision layout  Boundary lines and dimensions  Existing and proposed fences  Existing buildings  Existing and proposed streetlights  Street layout: including curb, gutter, and sidewalk
		A distinguishing number for every unit.  The location and dimensions of all easements  Label "convertible space" for each such space  The location and dimensions of convertible lands  The location and dimensions of any withdrawable lands  Phases – All proposed phases of development, numbered and defined, with timetable for development  Existing and proposed lot lines, numbers, dimensions and area  Overall subdivision layout  Boundary lines and dimensions  Existing and proposed fences  Existing buildings  Existing and proposed streetlights



## CONDOMINIUM PRELIMINARY SUBDIVISION

Utility a	nd Drain	age Plan
		Subdivision name
		North arrow, legend
		Show existing roads, lots and easements lines
		Show proposed roads, curb, gutter, and sidewalk, lots and easement lines
		Topography – 2 foot contour intervals
		Show existing FEMA 100 year flood plain
		Show existing channels, canals, ditches, springs, wells, wetlands, culverts and ponds
		Show existing storm drains, manholes, inlet boxes, combination boxes and cleanouts
		Indicate the location of the proposed detention facility
		Indicate the proposed connection to the existing storm water system. Include project
		discharge amount. (0.2 cubic feet per second per acre max)
		Drainage arrows indicating the direction of storm water flow in proposed streets
		Show existing sanitary sewer system, culinary water system, subsurface drains, gas
		lines, pow lines, cable lines and phone lines
		Location of the proposed project connection to the existing city water system. Include
		project fire flow, fire storage and demand calculations
		Location of the proposed project connection to the existing city sanitary system.
		Include peak discharge amount.
Overlay	Zones	
		Hillside District Overlay Zone – If the project is within the Hillside District Overlay
		Zone see requirements at www.westjordan.utah.gov
		Well Protection Overlay Zone – if the project is within the Well Protection Zone see
		requirements at www.westjordan.utah.gov
		Airport Overlay Zone - if the project is within the Airport Overlay Zone see
		requirements at www.westjordan.utah.gov
		N, COVENANTS, CONDITIONS AND RESTRICTIONS, as required by Utah
Code w	hich sha	ll include the following:
		D ' ' C4 1 1' 1 1 1 '4' '4 ' ' '
		Description of the land included within the project
		The linear measurement and location of the exterior boundaries of the building(s)
		Diagrammatic floor plans of the building, identifying each convertible space and
		physical unit.
		A description or delineation of the boundaries of any unit or convertible space not contained in the building.
		A distinguishing number for every unit.
		The location and dimensions of all easements
		Label "convertible space" for each such space
		The location and dimensions of convertible lands
		The location and dimensions of convertible lands  The location and dimensions of any withdrawable lands
_	•	The location and difficusions of any withdrawable lands
		A description of the building stating
		1. Architecture
		2. Number of stories
		3. Number of basements
		4. Number of units
		5. Principal materials
		6. Description of improvements contained in the project.



## CONDOMINIUM PRELIMINARY SUBDIVISION

		Description of common areas and facilities
		Name and address of person authorized to receive service or process.
		If the project contains convertible land a statement is required providing the following
		1. maximum number of units within each convertible land
		Compatibility with structures within the condominium project
		Signed and acknowledged by all person have an ownership
HOME	OWNER	RS ASSOCIATION – To ensure maintenance of the common open space and other
improve	ments the	e owner/developer shall incorporate under the laws of the state a homeowners
associat	ion prior	to recording the final plat, including the following:
		Mandatory membership
		Permanent common open space restrictions
		Liability insurance
		Property taxes
		Maintaining recreational and other facilities
		All lot owners to pay their prorated share of costs
		Assessments levied by the association may become a lien
		rs' association does not maintain the common open space and improvements as
		may, at its option, perform the maintenance or contract to have the maintenance
		city may recover all costs incident thereto by means of a lien against the involved
		members of the homeowners association.



# CONDOMINIUM FINAL SUBDIVISION SUBMITTAL CHECKLIST

PROJEC	T	
APPLIC	ANT	DATE
GENEF	RAL IN	FORMATION
Your	City	Description
Check	Check	
		Application
		Owner Affidavit
		Electronic copy of all plans in PDF Format.
		Preconstruction Meeting Form
		Fees - Calculated and due after acceptance of application
		1 reduced copy on 11 x 17 paper
		Title report prepared within 60 days
		Geotechnical Report
		Phase 1 Environmental Report
		Engineers Estimate
		Off-site Dedication or Easement Legal Descriptions, if applicable
		Public Easements, if applicable
		Adjacent Property Owners Agreement, if applicable
FINAL 1	PLAT D	PRAWINGS
Your	City	Description
Check	Check	
Drawin	gs must	have separate sheets for each plan and assembled in the following order
Cover S	Sheet	
Subdivi	sion Pla	t Drawings
		Scale – not smaller than 100 feet to the inch
		Subdivision Name – at the top of the sheet
		Township, range and section
		North arrow, top faces either north or west
		Boundary bearing and dimensions, tied to public survey monuments
		Subdivision boundary survey information including dimensions and bearings and
		1- anti-ma
		Survey information and certificate – name, stamp and signature of registered surveyor
		Legal description
		Metes and bounds description
		Existing and proposed roads, curb, gutter and sidewalk

Lots, blocks and parcels proposed for public use dedication

Existing lots and parcels showing dimensions and area

All lots to have PUE easements at least 7 foot wide

Right-of-way lines and monuments

Street names and numbering

Lot numbering



		Streetlight locations
		Fire hydrants locations
		Fences and notes
		Dedication language and notary
		Vicinity Map – legible with major street names and highlighted subject property
		Legend showing all symbols, line types, hashing and abbreviations
		Date of drawing
		Applicant name and address
		Developer name and address
		Design firm name and address
		West Jordan revision blocks
		Adjoining property lots and parcels showing ownership name and tax ID numbers
		Existing easements showing type of easement and recording information
		Proposed easements – sufficient ties are to be shown to locate the easement
		Subsurface drain – protective covenants and maintenance agreements
		Indicate ownership and maintenance responsibilities for detention and open space
		areas.
		Existing and proposed fences
		Lands reserved in private ownership for community use
		Locations of jurisdictional boundary lines for: FEMA, US Corps of Engineers ad
		SLCounty Flood Control District
		Any necessary agreements with adjacent property owners regarding storm drainage,
		irrigation or other matters
		Outside Agencies/Entities approvals with might be affected by the project
		Any other special notes or requirements
		Drainage Easement to be a minimum of 15 foot wide
		City of West Jordan signature blocks for: City Engineer, City Attorney, Planning
		Commission, City Council (a signature line for the Mayor and attestation by the City
		Recorder) and County Recorder
		Utility signature blocks for: natural gas, electric power, telephone, cable and Salt Lake
D1 . C	1 01	County Health
	cond She	eet
Floor p	r	
		Exterior dimensions
		All perimeters dimensions of each unit
<u> </u>	<u> </u>	Hallways, stairwells, escapes and shafts
		Exterior wall thickness and common well thickness
		Ownership of attic space
		Label "convertible space" for each pace
		Interior square footage of each proposed unit
		Exterior dimensions
		All perimeters dimensions of each unit
		Hallways, stairwells, escapes and shafts
	L	
Legend		Direct area while all all lines
		Private ownership – slashed lines
		Common areas – bold outline
		Limited common areas – cross-hatching



		Certificate of building specifications of existing buildings signed by a licensed surveyor			
		Elevations of floors, ceilings and their thickness			
Additio	dditional Information can be supplied on the plat map or on a separate sheet				
		Description of the land included within the project			
		The linear measurement and location of the exterior boundaries of the building(s)			
		Diagrammatic floor plans of the building, identifying each convertible space and			
		physical unit.			
		A description or delineation of the boundaries of any unit or convertible space not			
		contained in the building.			
		A distinguishing number for every unit.			
		The location and dimensions of all easements			
		Label "convertible space" for each such space			
		The location and dimensions of convertible lands			
		The location and dimensions of any withdrawable lands			
		Phases – All proposed phases of development, numbered and defined, with timetable			
		for development			
		Existing and proposed lot lines, numbers, dimensions and area			
		Overall subdivision layout			
		Boundary lines and dimensions			
		Existing and proposed fences			
		Existing buildings			
		Existing and proposed streetlights			
		Street layout: including curb, gutter, and sidewalk			
		Geologic obstacles – floodplain, sensitive hillsides, wetlands, 100 year flood plains			
		Proposed dedication of public use areas – Right of ways			
		Hillside District Overlay Zone - The project is within the Hillside District Overlay			
		Zone			
		Well Protection Overlay Zone - The project is within the Well Protection Zone			
		Airport Overlay Zone - The project is within the Airport Zone			
		inage Plan			
		Title block			
		Scale at 1"= 60' or 1"= 100'			
		"Call Before You Dig" symbol and telephone number			
		North arrow, scale, and site plan underlay.			
		Relationship of utilities to each other on plan view.			
	_	Existing and proposed utilities – sewer, culinary water, secondary water, fire hydrants, storm drains, subsurface drains, gas lines, power lines, communications			
		lines, cable television lines, and street lights.			
		Water meter locations. A separate meter for irrigation connection to main is required			
_	_	for landscape area of 100 sq. ft or more			
		Streetlights are provided at ends of cul-de-sacs, all street intersections, entrance to any			
_ <b>_</b>		pedestrian pass-through.			
		Overhead utilities must be buried. Show existing overhead utilities on this drawing			
		and indicate how and where they will be buried.			
		Utility Easements – Location and dimensions. Provide a 20-foot easement for one			
		utility, and a 25-foot easement for two utilities.			



		All streets are named and existing and future right-of-way width to centerline is
		shown.
		Existing and proposed hydrants.
		Show existing improvements in, and adjacent to, the project. Must clearly distinguish
i 		"existing" and "to be constructed" improvements (Plan Sheets).
		Show water and sewer facilities and dimension from the centerline of the road or
		property line with a mandatory 10-foot separation between culinary water and sewer
		facilities.
		Driveways, if known – sidewalk ramps are located
		Minimum fire flow required by the IFC for the proposed structures. Fire flow
		calculations at all hydrant locations.
		A note on the drawing from the design engineer verifying that the proposed
		improvements comply with the City's design and construction standards.
		A note on the drawing from the design engineer verifying that the proposed
		improvements comply with the City's design and construction standards.
Overall	Drainag	ge Plan
		Project title
		North arrow and scale. (1"=100' max.)
		"Call Before You Dig" symbol and telephone number
		Revisions block
		Compliance Note indicating all facilities conform to the City's Design and
_	_	Construction Standards and Master Storm Drain Plan.
		Show proposed and existing conditions for the property being developed and within
_	_	100-feet of the project's boundary.
		Dashed lines and labels showing existing improvements, with elevations to show the
		project's conformity with the existing conditions.
		Show proposed contours (use solid lines) and spot elevations.
		Topography - Contour lines at 2-foot intervals
		Slopes of 10-percent or greater are shown. (Hillside ordinance applies)
		Proposed contours for site, parking lot and landscaping are shown.
		Proposed sidewalks, sidewalk ramps curb and gutter with spot elevations.
		Storm Drain Calculations
		Elevations shown (top of curb, flowline and crownline) at limits of construction, P.C.'s,
		P.T.'s, and grade breaks.
		Percentage of grade and direction of flow is indicated.
		Pad and finished floor elevations for all new structures are shown.
		Finished floor elevation of all buildings adjacent to this property and spot grades on
		adjacent properties to show elevational relationships.
		All existing and "to be constructed" block walls are shown.
		Proposed and existing drainage easements, with dimensions, elevations and typical
		sections
		Shows existing or "to be dedicated" rights-of-way and easements.
		"Sight visibility easements" with dimensions
		Flood Plain and Wetland Information - Flood plain or wetland boundary locations.
		Drainage calculations – Hydraulic and hydrologic storm drainage calculations using a
		10-year storm and a 100-year storm event with 0.2 cubic foot per second/acre
		discharge in 24 hours stamped by a registered professional engineer. Engineer is to
		use rational method and provide output from these calculations. (Separate report)



		Storm Water Facilities - Size, slope, location, and description of existing and "to be
		constructed" storm drain facilities line elevations.
		Direction of storm water flows, catch basins, manholes, combination boxes, invert
		and rim elevations; inlets, outlets, waterways, culverts, detention basins, orifice plate
		sizes, required riprap, required double inlet/dissipater, outlets to off-site facilities, and
		off-site drainage facilities.
		Proposed roof drains, include size, type slope, and flow
		Existing culverts, streams, channels, and detention ponds with proposed changes
		include typical section, erosion protection, permanent structures, freeboard, and
	<u></u>	access.
		An overland release for storm water is provided for all sag points such that no
		structures would be flooded if the underground drain system were blocked or the
ļ <u>.</u>		capacity exceeded.
		Detention areas and details are shown. This is to include spillways at a 3:1 maximum
ļ		side slopes.
		Subdrain system – Required if project fronts canal property, the geotechnical report
		indicates groundwater within the footing zone, or the area is known for a high
		groundwater table. Subsurface drains must lower groundwater levels to 3-feet below
		all basement levels. (To be maintained by Homeowner's Association)
		Existing irrigation ditches have been piped or abandoned as approved by the ditch
		master.
		Existing irrigation tailwater ditches or sheet flow is properly conveyed through the
		property.
		Erosion protection is provided for all cut and fill slopes.
		Energy dissipaters are provided on the outfall of drain lines discharging into creeks and earthen channels capable of slowing velocities to 3-feet per second
		Oil water separator system in place before it discharges into the city system.
		Approval from County Flood Control – Obtain a flood control permit for facilities under the
_	_	jurisdiction of Salt Lake County Flood District
		Approval from the Army Corps of Engineers – If the site is within or adjacent to any
		known wetlands.
		Federal, State and Local Permits – Acquire permits necessary for the project.
		State stream alteration permit
Overall	Gradin	√
		Project title
		North arrow and scale (1"=100" may)
		"Call Before You Dig" symbol and telephone number are shown
		Revisions block
		Compliance note indicating all facilities conform to the City's Design and
		Construction Standards.
		Proposed and existing conditions for the property being developed and within 100-
		feet of the project's boundary.
		Dashed lines and labels showing existing improvements, with elevations noted to
		show the project's conformity with the existing conditions.
		Show proposed contours (use solid lines) and spot elevations
		Topography - Contour lines at 2-foot intervals
		Slopes of 10-percent or greater are shown. (Hillside ordinance applies)
		Proposed contours for site, parking lot and landscaping are shown.
		Proposed sidewalks and sidewalk ramps with spot elevations are provided as required.



		Proposed curb and gutter with spot elevations	
		Elevations shown (top of curb, flowline and crown line) at limits of construction,	
		P.C.'s, P.T.'s, and grade breaks.	
		Percentage of grade and direction of flow	
		Pad and finished floor elevations for all new structures	
		Finished floor elevation of all buildings adjacent to this property and spot grades on	
		adjacent properties to show elevational relationships.	
		All existing and "to be constructed" block walls are shown.	
		Proposed and existing drainage easements, with dimensions, elevations and typical	
		sections as needed.	
		Soils report required for all public roadways	
		Soils report required for all public roadways	
SWPPF			
		The project fulfills all the requirements of the Land Disturbance. See Land Disturbance	
		Permit requirements at www.westjordan.utah.gov.	
Public S	Street D	esign Plan View	
		Street Monuments	
		Street name and number	
		Right of way width.	
		Design benchmark.	
		Property lines. Locations of easements (existing and proposed)	
		Center line with stationing. Please include any horizontal curve information.	
		Horizontal sight distance if road intersection is not 90 degrees or if road intersects a	
<u></u>	<u></u>	horizontal curve.	
		Existing edge of asphalt spot elevations as well as centerline spot elevations. 50 foot	
		intervals.	
		Existing curb, gutter, sidewalk and drive approaches. Provide spot elevations for both	
		sides of the street.	
		Profile spot elevation designations at curb return.	
		Existing and proposed utilities.	
		Existing and proposed street lights.	
		Extend limits of drawing 100' before and after proposed improvements. Include	
		driveways and any road intersection.	
		Proposed storm drain system. Include pipe length, material, and size. Include	
		manhole size, and rim elevation. Include any grate elevations.  Proposed sanitary sewer system. Include pipe length, material, and size. Include	
J	J	manhole size and rim elevation.	
		Proposed culinary water system. Include length, size and class of pipe as well as	
J	_	valves, tees, crosses, fire hydrants and service laterals.	
		Proposed secondary water system. Include length, size, and class of pipe as well as	
_	_	valves, tees, crosses, and service laterals.	
		Existing and proposed fire hydrants. Maximum spacing 500 feet.	
		Existing and proposed fire hydrants. Maximum spacing 500 feet.	
		Elevation at left and right side of sheet.	
	L	esign Profile View	
		Existing ground profile at proposed profile grade line (center line or top back of curb.	
		Proposed profile grade line (center line or top back of curb). Include grade	
_	_	information, slope, VPI, VPC, CPT etc. Include elevations at points of interest.	
	L	,	



		Vertical sight distance. Safe stopping distance when required.	
		All necessary vertical curve information including length of curve, AKA Value.	
		Extend profile line 100 feet each way showing existing improvements	
		Profiles of sanitary sewer system. Include length, size, type and slope of pipe.	
	Include manhole size, rim and flow line elevations.		
		Profiles of storm drain system. Include length, size, type and lope of pipe. Include	
		hydraulic grade line and contributing system flow. Include all rim gate and low line	
	elevations.		
		Profiles of culinary and or secondary water system if line size is 12 inches or greater.	
		Include length, size, type and slope of pipe. Include air vacuum station at all high	
		points.	
		Show conflicts between utilities. Include distance between utilities pipe edge to pipe	
		edge.	
		Engineering Department review and comments on drawings.	
		Applicant revision of proposed drawings and resubmission to Engineering	
		Department.	
		Engineering Department approval of public street plan.	
		Engineering Department approval of public street plan.	
		Overall site layout complete with lot and easements lines.	
Traffic	Signs ar	nd Striping Plan	
		Street layout including curb, gutter, and sidewalk.	
		Stop bars as required by MUTCD	
		Cross walks.	
		Painted messages or arrows.	
		Stop signs per most current edition of MUTCD.	
		Street signs per most current edition of MUTCD.	
		Any additional signs as warranted by the most current edition of MUTCD.	
		Traffic striping or tape for all lanes.	
		Proposed signal loops if required.	
		Proposed signal light if required.	
		Proposed signal light if required.	
Traffic	Impact 2	Analysis	
		Engineering will determine if a Traffic Impact Analysis is required and provide the to	
		the applicant the Guidelines for the Traffic Impact Study	
Demoli	tion Plan		
		Project title	
		North arrow	
		Scale of drawing	
		"Call Before You Dig" symbol and telephone number are shown (plan sheets).	
		Revisions block is shown.	
		Structures and other facilities to be removed are shown, indicate SqFt for each	
_	_	structure.	
Public 1	Landscar	ping Plan	
		Designation of "landscape zones" (grouping plants with similar water needs)	
		The location of all proposed plants and a plant schedule specifying the quantity, size,	
_	_	common name botanical name, and spacing of all proposed plants	
	1	common name obtaineal name, and spacing of all proposed plants	



		Existing and proposed landscape grading of the site indicating contours at two foot	
		(2') intervals. Proposed berming shall be indicated using one foot (1') contour	
		intervals	
		Location of existing buildings and structures	
		The location, size, and common names of all existing mature trees and significant	
		vegetation, on the site and within adjacent rights of way, indicating plants that	
		will be retained and those that will be removed	
		The location and dimensions of all existing and proposed buildings and structures,	
	i   	property lines, easements, parking lots and drives, streets and rights-of-way, signs,	
		sidewalks, dumpster enclosures, fences.	
		The location of all meters, lighting, fire hydrants and utility boxes in the right-of-way or on the	
ļ	ļ	property	
		Designation of "landscape zones" (grouping plants with similar water needs)	
		Designation of "landscape zones" (grouping plants with similar water needs)	
	Irrigatio	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
		Location of connection to water supply	
		Size of connection	
		Pipe type	
		Static water pressure(psi)	
		Backflow prevention device type and location	
		Water meter size and location	
		Layout of irrigation system and a legend summarizing the type and size of all major	
		system components and irrigation heads, including manufacturer's name and model	
ļ 	 	numbers	
		Flow rate in gallons per minute and design operating pressure in psi for each valve	
		Precipitation rate in inches per hour for each irrigation zone	
		Indicate either a pressure regulation device or pressure regulated spray heads	
		Show location of rain shutoff device and how connected to controller (wire or	
		wireless)	
		Show location of rain shutoff device and how connected to controller (wire or	
		wireless)	
Landsc	ape Woi	rksheet of Summary Data	
		Completed Water Allowance Worksheet available at www.westjordan.utah.gov	

### DECLARATION, COVENANTS, CONDITIONS AMD RESTRICTIONS

Utah St	ate Cod	e Requirement
		Description of the land included within the project
		The linear measurement and location of the exterior boundaries of the building(s)
		Diagrammatic floor plans of the building, identifying each convertible space and
		physical unit.
		A description or delineation of the boundaries of any unit or convertible space not
		contained in the building.
		A distinguishing number for every unit.
		The location and dimensions of all easements
		Label "convertible space" for each such space
		The location and dimensions of convertible lands
		The location and dimensions of any withdrawable lands.
		A description of the building stating
		1. Architecture



	2. Number of stories			
	3. Number of basements			
	4. Number of units			
	5. Principal materials			
	6. Description of improvements contained in the project.			
	Name and address of person authorized to receive service or process			
	Description of common areas and facilities			
	If the project contains convertible land a statement is required providing the following			
	1. maximum number of units within each convertible land			
	2. Compatibility with structures within the condominium project			
	Signed and acknowledged by all person have an ownership			

#### **HOMEOWNERS ASSOCIATION**

To ensur	e mainter	nance of the common open space and other improvements the owner/developer shall
incorpora	ate under	the laws of the state a homeowners association prior to recording the final plat,
including	g the follo	owing
Your	City	Description
Check	Check	
		Mandatory membership
		Permanent common open space restrictions
		Liability insurance
		Property taxes
		Maintaining recreational and other facilities
		All lot owners to pay their prorated share of costs
		Assessments levied by the association may become a lien

If the homeowners' association does not maintain the common open space and improvements as required, the city may, at its option, perform the maintenance or contract to have the maintenance performed. The city may recover all costs incident thereto by means of a lien against the involved properties or the members of the homeowners association.



# CONDOMINIUM DEVELOPMENT APPLICATION FEES

8000 South Redwood Road (801) 569-5182

Preliminary and Final Review fee amount includes two (2) reviews. Additional reviews will be charged at the supplemental rate as noted. The fees listed here are in no way a guarantee that these are the only fees assessed by the City of West Jordan.

CONDOMINIUM PLAT REVIEW	
Preliminary Condominium Plat	\$1,555 plus \$40 per Lot (includes 2 reviews)
Preliminary Supplemental Review	\$80.50 Hourly Charge
Preliminary Engineering Review Fee	\$450 (includes 2 reviews)
Final Condominium Plat	\$1,740 plus \$40 per Lot (includes 2 reviews)
Final Supplemental Review	\$85 Hourly Charge
Final Engineering Review Fee	\$450 (includes 2 reviews)
SITE PLAN REVIEW	
Preliminary Multi Family Residential	
<b>2-25 Units</b> Prelim Multi-Family Residential	\$1,320 plus \$125per Acre (includes 2 reviews)
2-25 Units Prelim Supplemental Review	\$85 per Hourly Charge
<b>26-100 Units</b> Prelim Multi-Family Residential	\$1,805 plus \$125 per Acre (includes 2 reviews)
<b>26-100 Units</b> Prelim Supplemental Review	\$85 Hourly Charge
101 + Units Prelim Multi-Family Residential	\$1,815 plus \$125 per Acre (includes 2 reviews)
101+ Units Prelim Supplemental Review	\$85 Hourly Charge
Preliminary Engineering Review	\$1,000 (2 reviews)
Final Multi-Family Residential	
2-25 Units Final Multi-Family Residential	\$1,555 plus \$125 per Acre (includes 2 reviews)
2-25 Units Final Supplemental Review	\$85 Hourly Charge
<b>26-100 Unit</b> Final Multi-Family Residential	\$1,615 plus \$125 per Acre (includes 2 reviews)
<b>26-100 Unit</b> Final Supplemental Review	\$85 Hourly Charge
<b>101</b> + Units Final Multi Family Residential	\$1,810 plus \$125 per Acre
100 +Units Final Supplemental Review	\$85 Hourly Charge
Final Engineering Preliminary Review	\$1,000 (2 reviews)